

WALLS WILL BE INSULATED WITH 3½" FIBERGLASS BATTS. CEILING WILL HAVE 9" ATTIC BLANKET. WALLS AND CEILING WILL BE COVERED WITH 7/16" ASPENITE, COMMON WALL BOTH SIDES.

ELECTRICAL

CONTRACTOR WILL BE RESPONSIBLE FOR REMOVING ALL ELECTRICAL EQUIPMENT THAT WILL BE SALVAGED I.E. BRINE PUMP DISCONNECT, BREAKER BOXES, WELL PUMP DISCONNECTS.

CONTRACTOR WILL ALSO MAINTAIN ELECTRICAL SERVICE TO BRINE PUMP AND WELLS DURING CONSTRUCTION, INCLUDING WEATHER PROTECTION OF SAME.

EQUIPMENT AREA WILL HAVE FOUR OVERHEAD FIXTURES W/300 WATT BULBS, SIX 110V OUTLETS, TWO ON WEST WALL, TWO ON NORTH WALL AND 2 ON EAST WALL. SHOP AREA WILL CONTAIN TWO OVERHEAD FIXTURES W/300 WATT BULBS, ONE 6' DOUBLE TUBE FLUORECENT FIXTURE, AND THREE SINGLE POLE SWITCHES, ALSO 1-220V OUTLET, EXTERIOR WIRING WILL BE ONE DOUBLE BULB FLOOD LIGHT ON A PHOTOCCELL, LOCATED BETWEEN OVERHEAD DOORS AT EAVE HEIGHT. NEW BREAKER BOX AND ALL WELL AND PUMP DISCONNECTS WILL BE LOCATED IN SHOP AREA ON NORTH WALL. CONTRACTOR WILL MAINTAIN PRESENT SERVICE AMPERAGE.

PLUMBING AND H.V.A.C.

CONTRACTOR WILL BE RESPONSIBLE FOR REMOVING ALL PLUMBING AND H.V.A.C. EQUIPMENT THAT WILL BE SALVAGED FROM OLD BUILDING I.E. OVERHEAD HEATERS, BRINE PUMP. A NEW BRINE PUMP WILL BE INSTALLED IN THE SHOP AREA ON A CONCRETE PLATFORM, SIMILAR TO EXISTING 16" HIGH. PIPING FROM BRINE PITS CONNECTION BACK THROUGH PUMP AND TO THE RECONNECTION WILL BE OF 2" SCHEDULE 80 P.V.C. THERE WILL ALSO BE A GATE VALVE BEFORE AND AFTER THE PUMP. THERE WILL ALSO BE A GATE VALVE INSIDE THE WEST FOUNDATION WALL, WITH A TEE HANDLE EXTENDING TO NEW FLOOR GRADE. THE CITY OF LEROY WILL FURNISH THE BRINE PUMP ONLY. THERE WILL ALSO BE A 24" WALL MOUNTED FIBERGLASS SLOP SINK ON EAST WALL OF SHOP AREA, WITH WATER AND DRAIN. THE EXISTING OVERHEAD GAS FURNACE WILL BE INSTALLED IN THE NORTHWEST CORNER OF EQUIPMENT AREA AND AN EXISTING FLOOR MODEL HEATER IN SHOP AREA. ALSO, ONE SILLCOCK ON THE SOUTHWEST CORNER OF THE SHOP AREA. CONTRACTOR WILL ALSO RUN A 4" DRAIN LINE OUT OF GREASE PIT INTO SEWER AND PROVIDE A RUNNING TRAP.

BID SHEET FOR WATER PLANT BUILDING

COMPANY NAME: _____

COMPANY ADDRESS: _____

TOTAL BID: _____

BID BREAKDOWN

MATERIAL TOTAL: _____

LABOR TOTAL: _____